| DEPAR | TMENT NAME: | | | BOX ALARM TYPE: | : | | EFFECTIVE DATE: | MABAS DIVISION |
|-----------------------|------------------------------|------------|--|-------------------|------------|---------------|------------------------|-----------------------------------|
| Brown | town FD (3) | | Structure | e Fire Non- Hy | drant (2) | | April 16, 2013 | 105 |
| BO | X ALARM # | | L | OCATION OR AREA | ۸: | | AUTHORIZ | ED SIGNATURE: |
| | 03-1-2 | | North | of 11 and West of | Co M | | Chief - [| Dave Plath Sr. |
| LOCAL D | ISPATCH AREA: | | | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| STILL | Browntown FD Browntown FD | | Browntown FD Browntown FD | Browntown FD | | Browntown FD | | |
| WORKING STILL | | | | | | | | |
| MABAS B | OX ALARM: | | • | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| вох | Argyle Fire Woodford FD | | Argyle Fire Woodford FD South Wayne FD | South Wayne FD | | Argyle Fire | Second Alert Browntown | |
| 2ND | Wiota Fire | | Blanchardville FD Wiota Fire | Monticello FD | Argyle EMS | | | Monroe- Engine |
| 3RD | | | Monticello FD | | | | American Red Cross | |
| 4TH | Darlington FD | | Darlington FD | | | Darlington FD | | |
| 5TH | | | New Glarus FD | New Glarus FD | | | | |
| INTERDIVIS REQUEST | SIONAL | 1st Choice | 2nd Choice | 3rd Choice | | | | |
| INFORMATI | ON | | | <u> </u> | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| DEPAR | TMENT NAME: | | | BOX ALARM TYPE | : | | EFFECTIVE DATE: | MABAS DIVISION |
|-----------------------|------------------------------|------------|--------------------------------|------------------|---------------------|--------------|---------------------------|-----------------------------------|
| Brown | ntown FD (3) | | Structure | Fire Non- Hy | drant (2) | | April 16, 2013 | 105 |
| BO | X ALARM # | | L | OCATION OR AREA | \ : | | AUTHORIZE | ED SIGNATURE: |
| | 03-2-2 | | North o | f Hwy 11 And Eas | st Co M | | Chief - D | Dave Plath Sr. |
| LOCAL DI | ISPATCH AREA: | | | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| STILL | Browntown FD Browntown FD | | Browntown FD Browntown FD | Browntown FD | | Browntown FD | | |
| WORKING STILL | | | | | | | | |
| MABAS B | OX ALARM: | | • | | | | • | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| | Monroe FD | | Monroe FD | | | Monroe FD | Second Alert Browntown FD | |
| вох | Woodford FD | | Argyle FD | Argyle FD | | Argyle FD | | |
| 2ND | Monticello FD | | Monticello FD Brodhead FD | New Glarus FD | Green CO EMS 801 | | | South Wayne Engine |
| 3RD | | | Woodford FD Juda FD | Winslow FD(IL) | | | American Red Cross | |
| 4TH | Albany FD | | Blanchardville FD Albany FD | | | Albany FD | | |
| 5TH | | | Wiota FD Winslow FD | | | | | |
| INTERDIVIS REQUEST | SIONAL | 1st Choice | 2nd Choice | 3rd Choice | | | | |
| INFORMATI | ON | | | | | | | |
| | | | | | | | | |

| DEPAR | TMENT NAME: | | | BOX ALARM TYPE | : | | EFFECTIVE DATE: | MABAS DIVISION |
|-----------------------|------------------------------|------------|----------------------------------|-----------------|------------------|-----------------------------|---------------------------|-----------------------------------|
| Brown | town FD (3) | | Structure | Fire Non- Hy | drant (2) | | April 16, 2013 | 105 |
| ВО | X ALARM # | | L | OCATION OR AREA | \ : | | AUTHORIZI | ED SIGNATURE: |
| | 03-3-2 | | South of | Hwy 11 and East | t of Co M | | Chief - D | Dave Plath Sr. |
| LOCAL D | ISPATCH AREA: | | | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| STILL | Browntown FD Browntown FD | | Browntown FD Browntown FD | Browntown FD | | Browntown FD | | |
| WORKING STILL | | | | | | | | |
| MABAS B | OX ALARM: | | | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| вох | Monroe FD Orangeville FD | | Monroe FD South Wayne FD | Orangeville FD | | Monroe FD Orangeville FD | Second Alert Browntown FD | |
| 2ND | Winslow FD (IL) | | Winslow FD (IL) Juda FD | Juda FD | Gr Co EMS 801 | | | Woodford Engine |
| 3RD | | | McConnell FD (IL) Brodhead FD | | | | American Red Cross | |
| 4TH | Monticello FD | | Monticello FD New Glarus FD | Albany FD | | Monticello FD | | |
| 5TH | | | Cedarville FD Warren FD | | | | | |
| INTERDIVIS REQUEST | SIONAL | 1st Choice | 2nd Choice | 3rd Choice | | | | |
| INFORMAT | ON | | | | | | | |

| DEPAR | TMENT NAME: | | | BOX ALARM TYPE: | | | EFFECTIVE DATE: | MABAS DIVISION |
|-----------------------|------------------------------|------------|--------------------------------------|---------------------|------------------|-----------------|---------------------------|-----------------------------------|
| | town FD (3) | | | e Fire Non- Hy | | | April 16, 2013 | 105 |
| | X ALARM # | | L | OCATION OR AREA | : | | | ED SIGNATURE: |
| | 03-4-2 | | South Of | Hwy 11 and West | t of Co M | | Chief - D | Dave Plath Sr. |
| LOCAL D | ISPATCH AREA: | | | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| STILL | Browntown FD Browntown FD | | Browntown FD Browntown FD | Browntown FD | | Browntown FD | | |
| WORKING STILL | | | | | | | | |
| MABAS B | OX ALARM: | | | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| | South Wayne FD | | South Wayne FD | | | South Wayne FD | Second Alert Browntown FD | |
| вох | Monroe FD | | Winslow FD(IL) | Winslow FD (IL) | | Monroe FD | | |
| | Juda FD | | Juda FD | | | Winslow FD (IL) | | Woodford Engine |
| 2ND | | | Lena FD (IL) | Lena FD(IL) | Gr Co EMS 801 | | | |
| 3RD | Warren FD (IL) | | Warren FD (IL) Brodhead FD | | | | American Red Cross | |
| 4TH | Wiota FD | | McConnell FD (IL) Argyle FD | Argyle FD | | Argyle FD | | |
| 5TH | | | Orangeville FD (IL) Monticello FD | Orangeville FD (IL) | | | | |
| INTERDIVIS REQUEST | SIONAL | 1st Choice | 2nd Choice | 3rd Choice | | | | |
| INFORMATI | ION | | ! | <u> </u> | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| DEPAR | TMENT NAME: | | E | OX ALARM TYPE | : | | EFFECTIVE D | ATE: | MABAS DIVISION |
|-----------------------|------------------------------|--------------|------------------------------|-------------------|------------|--------------|---------------------------|-----------|--------------------------------|
| | ntown FD (3) | | | Brush Fire (4) | | | April 16, 2 | | 105 |
| BO | X ALARM # | | LC | OCATION OR ARE | A: | | | AUTHORIZE | ED SIGNATURE: |
| | 03-2-4 | | North o | of 11 and East of | f Co M | | Chief - Dave Plath Sr. | | |
| LOCAL D | ISPATCH ARE | A: | | | | | | | |
| ALARM LEVEL | ENGINES | BRUSH TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | C | CHANGE OF QUARTERS (Station #) |
| STILL | Browntown FD Browntown FD | | Browntown FD Browntown FD | Browntown FD | | Browntown FD | | | |
| WORKING STILL | | | | | | | | | |
| MABAS E | BOX ALARM: | • | | | | | | | |
| ALARM LEVEL | ENGINES | BRUSH TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | C | CHANGE OF QUARTERS (Station #) |
| вох | Monroe FD | Monroe FD | Monroe FD | | | | Second Alert Browntown | | |
| 2ND | | Argyle FD | | | | Argyle FD | | | So. Wayne Engine |
| 3RD | | | | | | | | | |
| 4TH | | | | | | | | | |
| 5TH | | | | | | | | | |
| INTERDIVIS REQUEST | | 1st Choice | 2nd Choice | 3rd Choice | | | | | |
| INFORMAT | TION | | | | | | | | |

| DEPAR | TMENT NAME: | | E | OX ALARM TYPE | : | | EFFECTIVE D | ATE: | MABAS DIVISION |
|-----------------------|------------------------------|-----------------------------------|------------------------------|------------------|------------|-----------------|---------------------------|-----------------------------------|--------------------------------|
| | town FD (3) | | E | Brush Fire (4) | | | April 16, 20 | | 105 |
| ВОХ | (ALARM # | | LC | OCATION OR ARE | A: | | | AUTHORI | ZED SIGNATURE: |
| | 03-3-4 | | South | of 11 and East o | f Co M | | Chief - Dave Plath Sr. | | |
| LOCAL D | ISPATCH ARE | A: | | | | | | | |
| ALARM LEVEL | ENGINES | BRUSH TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | | CHANGE OF QUARTERS (Station #) |
| STILL | Browntown FD Browntown FD | | Browntown FD Browntown FD | Browntown FD | | Browntown FD | | | |
| WORKING STILL | | | | | | | | | |
| MABAS E | BOX ALARM: | - | | | | • | <u>'</u> | | |
| ALARM LEVEL | ENGINES | BRUSH TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) | |
| вох | Monroe FD | Monroe FD | Monroe FD Winslow FD (IL) | | | | Second Alert Browntown | | |
| 2ND | | Winslow FD (IL) South Wayne FD | | | | Winslow FD (IL) | | | South Wayne Engine |
| 3RD | | | | | | | | | |
| 4TH | | | | | | | | | |
| 5TH | | | | | | | | | |
| INTERDIVIS REQUEST | SIONAL | 1st Choice | 2nd Choice | 3rd Choice | | | | | |
| INFORMAT | ION | | | | | | | | |

| DEPAR' | TMENT NAME: | | E | OX ALARM TYPE | : | | EFFECTIVE D | DATE: | MABAS DIVISION |
|-----------------------|------------------------------|-----------------|------------------------------|------------------|------------|-----------------|--|--------|-----------------------------------|
| | ntown FD (3) | | E | Brush Fire (4) | | | April 16, 2 | | 105 |
| BOX | X ALARM # | | LC | CATION OR ARE | A: | | | AUTHOR | RIZED SIGNATURE: |
| | 03-4-4 | | South of | of 11 and West o | of Co M | | Chief - Dave Plath Sr. | | |
| LOCAL D | ISPATCH ARE | A : | | | | | | | |
| ALARM LEVEL | ENGINES | BRUSH TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | | CHANGE OF QUARTERS (Station #) |
| STILL | Browntown FD Browntown FD | | Browntown FD Browntown FD | Browntown FD | | Browntown FD | | | |
| WORKING STILL | | | | | | | | | |
| MABAS E | BOX ALARM: | | | | • | | | | |
| ALARM LEVEL | ENGINES | BRUSH TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL CHANGE OF QUARTERS EQUIPMENT (Station #) | | |
| вох | South Wayne FD | | South Wayne FD | | | | Second Alert Browntown | | |
| 2ND | | Winslow FD (IL) | | | | Winslow FD (IL) | | | Monroe Engine |
| 3RD | | | | | | | | | |
| 4TH | | | | | | | | | |
| 5TH | | | | | | | | | |
| INTERDIVIS REQUEST | SIONAL | 1st Choice | 2nd Choice | 3rd Choice | | | | | |
| INFORMAT | TION | | | | | | | | |

| DEPAR* | TMENT NAME: | | В | OX ALARM TYPE | : | | EFFECTIVE D | DATE: | MABAS DIVISION |
|-----------------------|------------------------------|--------------|------------------------------|------------------|------------|--------------|---------------------------|-----------------------------------|-----------------------------------|
| | town FD (3) | | E | Brush Fire (4) | | | April 16, 2 | | 105 |
| BOX | (ALARM # | | LC | OCATION OR ARE | A: | | | AUTHO | RIZED SIGNATURE: |
| (| 03-1-4 | | North o | of 11 and West o | of Co M | | Chief - Dave Plath Sr. | | |
| LOCAL D | ISPATCH ARE | A: | | | | | | | |
| ALARM LEVEL | ENGINES | BRUSH TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | | CHANGE OF QUARTERS (Station #) |
| STILL | Browntown FD Browntown FD | Browntown FD | Browntown FD Browntown FD | Browntown FD | | Browntown FD | | | |
| WORKING STILL | | | | | | | | | |
| MABAS E | BOX ALARM: | • | | | • | | | | |
| ALARM LEVEL | ENGINES | BRUSH TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) | |
| вох | Woodford FD | Argyle FD | South Wayne FD | | | Woodford FD | Second Alert Browntown | | |
| 2ND | | | | | | | | | Monroe Engine |
| 3RD | | | | | | | | | |
| 4TH | | | | | | | | | |
| 5TH | | | | | | | | | |
| INTERDIVIS REQUEST | SIONAL | 1st Choice | 2nd Choice | 3rd Choice | | | | | |
| INFORMAT | ION | | | | | | | | |

| DEPAR | TMENT NAME: | | | BOX ALARM TYPE | : | | EFFECTIVE DATE: | MABAS DIVISION |
|-----------------------|----------------------------------|------------|----------------------------------|-------------------|---------------------|----------------|---------------------------|-----------------------------------|
| | ntown FD (3) | | | Hazmat (6) | | | April 16, 2013 | 105 |
| ВО | X ALARM # | | L | OCATION OR AREA | A : | | AUTHORIZE | ED SIGNATURE: |
| | 03-4-6 | | North | of 11 and East of | СоМ | | Chief - D | Pave Plath Sr. |
| LOCAL D | ISPATCH AREA: | | | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| STILL | Browntown Fire Browntown Fire | | Browntown Fire Browntown Fire | Browntown Fire | | Browntown Fire | Green County Emergency MG | |
| WORKING STILL | | | | | | | | |
| MABAS B | OX ALARM: | | • | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| вох | Monroe FD | | Monroe FD | Argyle FD | Green Co EMS 801 | | Second Alert Browntown | |
| 2ND | | | | | | | Madison Hazmat | South Wayne Engine |
| 3RD | | | | | | | | |
| 4TH | | | | | | | | |
| 5TH | | | | | | | | |
| INTERDIVIS REQUEST | SIONAL | 1st Choice | 2nd Choice | 3rd Choice | | | | |
| INFORMAT | ION | | | | | | | |

| DEPAR | TMENT NAME: | | | BOX ALARM TYPE | : | | EFFECTIVE DATE: | MABAS DIVISION |
|-----------------------|----------------------------------|------------|----------------------------------|-------------------|---------------------|----------------|---------------------------|-----------------------------------|
| | ntown FD (3) | | | Hazmat (6) | | | April 16, 2013 | 105 |
| ВО | X ALARM # | | L | OCATION OR AREA | A : | | AUTHORIZE | ED SIGNATURE: |
| | 03-2-6 | | South | of 11 and East of | Co M | | Chief - D | Dave Plath Sr. |
| LOCAL D | ISPATCH AREA: | | | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| STILL | Browntown Fire Browntown Fire | | Browntown Fire Browntown Fire | Browntown Fire | | Browntown Fire | Green County Emergency MG | |
| WORKING STILL | | | | | | | | |
| MABAS B | OX ALARM: | | • | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| вох | Monroe FD | | Monroe FD | Winslow FD (IL) | Green Co EMS 801 | | Second Alert Browntown | |
| 2ND | | | | | | | Madison Hazmat | South Wayne Engine |
| 3RD | | | | | | | | |
| 4TH | | | | | | | | |
| 5TH | | | | | | | | |
| INTERDIVIS REQUEST | BIONAL | 1st Choice | 2nd Choice | 3rd Choice | | | | |
| INFORMAT | ION | | | | | | | |

| DEPAR | TMENT NAME: | | | BOX ALARM TYPE: | : | | EFFECTIVE DATE: | MABAS DIVISION |
|-----------------------|----------------------------------|------------|----------------------------------|-------------------|---------------------|----------------|---------------------------|-----------------------------------|
| | ntown FD (3) | | | Hazmat (6) | | | April 16, 2013 | 105 |
| ВО | X ALARM # | | L | OCATION OR AREA | \ : | | AUTHORIZE | ED SIGNATURE: |
| | 03-1-6 | | South | of 11 and West of | f Co M | | Chief - D | Dave Plath Sr. |
| LOCAL D | ISPATCH AREA: | | | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| STILL | Browntown Fire Browntown Fire | | Browntown Fire Browntown Fire | Browntown Fire | | Browntown Fire | Green County Emergency MG | |
| WORKING STILL | | | | | | | | |
| MABAS B | OX ALARM: | | | • | | | • | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| вох | South Wayne FD | | South Wayne FD | Winslow FD (IL) | Green Co EMS 801 | | Second Alert Browntown | |
| 2ND | | | | | | | Madison Hazmat | Monroe Engine |
| 3RD | | | | | | | | |
| 4TH | | | | | | | | |
| 5TH | | | | | | | | |
| INTERDIVIS REQUEST | BIONAL | 1st Choice | 2nd Choice | 3rd Choice | | | | |
| INFORMAT | ION | | | | | | | |

| | TMENT NAME: | | | BOX ALARM TYPE | i: | | EFFECTIVE DATE: | MABAS DIVISION |
|-----------------------|---------------------------------------|------------|----------------------------------|-----------------|---------------------------------------|---------------------------|--|-----------------------------------|
| | ntown FD (3) | | | Hazmat (6) | _ | | April 16, 2013 | 105 |
| | X ALARM # | | | OCATION OR ARE | | | | ED SIGNATURE: |
| | 03-5-6 | | Co M | and Co Y- N3521 | I Co M | | Chief - D | Dave Plath Sr. |
| LOCAL D | ISPATCH AREA: | | | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| STILL | Browntown Fire Browntown Fire | | Browntown Fire Browntown Fire | Browntown Fire | | Browntown Fire | Green County Emergency MG | |
| WORKING STILL | | | | | | | | |
| MABAS B | OX ALARM: | | | | | | . | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| вох | Argyle FD Monroe FD Woodford FD | | | | Green County 801 Argyle EMS 204 | Officer in each Engine | Call Gas Company Jordan Township Barracades | Winslow FD (IL) |
| 2ND | | | | | | | Gas Detectors from Monroe FL | |
| 3RD | | | | | | | | |
| 4TH | | | | | | | | |
| 5TH | | | | | | | | |
| INTERDIVIS REQUEST | SIONAL | 1st Choice | 2nd Choice | 3rd Choice | | | | |
| INFORMATI | ON | | | | | | | |

| DEPARTMENT NAME: | | | | BOX ALARM TYPE: Hazmat (6) | EFFECTIVE DATE: | MABAS DIVISION | | |
|------------------------------|----------------------------------|------------|----------------------------------|----------------------------|--|----------------|---|-----------------------------------|
| Browntown FD (3) BOX ALARM # | | | L | OCATION OR AREA | April 16, 2013 105 AUTHORIZED SIGNATURE: | | | |
| 03-3-6 | | | | of 11 and West of | Chief - Dave Plath Sr. | | | |
| | ISPATCH AREA: | | | | | | 1 | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| STILL | Browntown Fire Browntown Fire | | Browntown Fire Browntown Fire | Browntown Fire | | Browntown Fire | Green County Emergency MG | |
| WORKING STILL | | | | | | | | |
| MABAS B | OX ALARM: | | | | | | • | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) |
| вох | Monroe FD | | Woodford FD | SouthWayne FD | Argyle EMS 204 | | Second Alert Browntown Gas Detectors from Monroe FE | Winslow FD(IL) |
| 2ND | | | | | | | Madison Hazmat | |
| 3RD | | | | | | | | |
| 4TH | | | | | | | | |
| 5TH | | | | | | | | |
| INTERDIVISIONAL REQUEST | | 1st Choice | 2nd Choice | 3rd Choice | | | | |
| INFORMAT | ION | | | | | | | |

| DEPARTMENT NAME: | | | | BOX ALARM TYPE | EFFECTIVE DATE: | MABAS DIVISION | | | | |
|----------------------------|----------------------------------|--------------------|---|----------------------------------|------------------------|----------------|--|-----------------------------------|--|--|
| Browntown FD (3) | | | Ta | arget Hazard (| April 16, 2013 105 | | | | | |
| BOX ALARM # | | | L | OCATION OR AREA | AUTHORIZE | D SIGNATURE: | | | | |
| 03-2-8 | | | Citation | n Castings- N2480 | Chief - Dave Plath Sr. | | | | | |
| LOCAL D | ISPATCH AREA: | | | | | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) | | |
| STILL | Browntown Fire Browntown Fire | | Browntown Fire Browntown Fire | Browntown Fire | | Browntown Fire | 2nd Alert all available Browntown FF's | | | |
| WORKING STILL | | | | | | | | | | |
| MABAS E | MABAS BOX ALARM: | | | | | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) | | |
| | | Monroe FD | | Monroe FD | Green Co EMS | Argyle FD | Woodford FD Fill Site- Co M | | | |
| вох | Woodford FD | | Winslow FD | Winslow FD (IL) | 801 | Monroe FD | and Smock Valley Rd | | | |
| 2ND | South Wayne FD Orangeville FD | Brodhead FD | Brodhead FD Blanchardville FD Monticello FD | South Wayne FD Monticello FD | Leamon's EMS (IL) | South Wayne FD | Orangeville Fill site- In Browntown | Juda Engine | | |
| 3RD | | | Warren FD (IL) New Glarus FD | New Glarus FD | New Glarus EMS 875 | | Green County Emergency MG | | | |
| 4TH | Albany FD | | McConnell FD (IL) Darlington FD Albany FD | Darlington FD | | | Madison Hazmat UW Med Flight 800-472-0111 Rock Co Heavy Rescue | | | |
| 5TH | | | Warren FD(IL) Cedarville FD | Orangeville FD Warren FD (IL) | | | DNR | | | |
| INTERDIVISIONAL REQUEST | | 1st Choice | 2nd Choice | 3rd Choice | | | | | | |
| INFORMAT | ION | Monroe Fire And Sa | afety- Dry Chemical E. | xtinguishers (608)32 | L 5-9473 | | | | | |
| | | | | | | | | | | |

| DEPARTMENT NAME: | | | | BOX ALARM TYPE | EFFECTIVE DATE: | MABAS DIVISION | | | | |
|-----------------------|----------------------------------|--|----------------------------------|---------------------------------|------------------------|------------------------|--|-----------------------------------|--|--|
| Browntown FD (3) | | | Ta | arget Hazard (| April 16, 2013 105 | | | | | |
| BOX ALARM # | | | L | OCATION OR AREA | AUTHORIZE | D SIGNATURE: | | | | |
| 03-3-8 | | | Klondike C | heese- W7839 St | Chief - Dave Plath Sr. | | | | | |
| LOCAL D | ISPATCH AREA: | | | | | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) | | |
| STILL | Browntown Fire Browntown Fire | | Browntown Fire Browntown Fire | Browntown Fire | | Browntown Fire | 2nd Alert all available Browntown FF's | | | |
| WORKING STILL | | | | | | | | | | |
| MABAS B | MABAS BOX ALARM: | | | | | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) | | |
| вох | Argyle FD | Monroe FD | South Wayne FD Woodford FD | Monroe FD | Green Co EMS 801 | Argyle FD Monroe FD | Woodford FD Fill Site- Jordan Center Rd | | | |
| 2ND | South Wayne FD | Brodhead FD | Brodhead FD Blanchardville FD | Winslow FD (IL) | Leamon's EMS (IL) | South Wayne FD | Juda Engine Fill Site- Hiawatha Rd and Hwy 81 | Winslow FD engine (IL) | | |
| 3RD | | | Warren FD (IL) Brodhead FD | Monticello FD | New Glarus EMS 875 | | | | | |
| 4TH | | | McConnell FD (IL) | | | | Madison Hazmat UW Med Flight 800-472-0111 Rock Co Heavy Rescue | | | |
| 5TH | | | | Darlington FD Warren FD (IL) | | | Green County Emergency MG DNR | | | |
| INTERDIVIS REQUEST | SIONAL | 1st Choice | 2nd Choice | 3rd Choice | | | | | | |
| INFORMATION | | Monroe Fire And Safety- Dry Chemical Extinguishers (608)325-9473 | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| DEPARTMENT NAME: | | | | BOX ALARM TYPE: | EFFECTIVE DATE: | MABAS DIVISION | | | |
|----------------------------|----------------------------------|--------------------|--|-----------------------|------------------------|-------------------|-----------------------------|-----------------------------------|--|
| Browntown FD (3) | | I | Ta | arget Hazard (8 | April 16, 2013 105 | | | | |
| BOX ALARM # | | <u> </u> | L | OCATION OR AREA | AUTHORIZ | ED SIGNATURE: | | | |
| 03-1-8 | | I | Vil | llage Of Browntow | Chief - Dave Plath Sr. | | | | |
| LOCAL D | ISPATCH AREA: | | | | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) | |
| STILL | Browntown Fire Browntown Fire | | Browntown Fire Browntown Fire | Browntown Fire | | Browntown Fire | | | |
| WORKING STILL | | | | | | | | | |
| MABAS B | MABAS BOX ALARM: | | | | | | | | |
| ALARM LEVEL | ENGINES | TRUCKS | TENDERS | SQUADS | AMBULANCES | CHIEFS | SPECIAL EQUIPMENT | CHANGE OF QUARTERS (Station #) | |
| вох | Monroe Fire South Wayne Fire | Monroe Fire | South Wayne Fire | South Wayne Fire | Green Co EMS 801 | South Wayne Fire | Second Alert Browntown Fire | | |
| 2ND | Woodford Fire | | Brodhead Fire Argyle Fire | Argyle Fire | Argyle EMS 204 | | Green County Emergency MG | | |
| 3RD | Winslow Fire (IL) | | McConnell Fire (IL) Juda Fire | Winslow Fire (IL) | | Winslow Fire (IL) | | Juda- Engine | |
| 4TH | Wiota Fire | | Blanchardville Fire Monticello Fire | Monticello Fire | | | | | |
| 5TH | | | Orangeville Fire (IL) Darlington Fire | Warren Fire (IL) | | | | | |
| INTERDIVISIONAL REQUEST | | 1st Choice | 2nd Choice | 3rd Choice | | | | | |
| INFORMAT | ON | Monroe Fire And Sa | afety- Dry Chemical Ex | ktinguishers (608)325 | -9473 | | | | |
| | | | | | | | | | |